ELSEVIER

Physica C 277 (1997) 302–304

PHYSICA C

Author Index to Volume 277

Adachi, S., see Tamura, T., **277**, 1
Agarwal, S.K., see Okram, G.S., **277**, 19
Al-Mosawi, M., see Yi, Z., **277**, 233
Albino Aguiar, J., see Awana, V.P.S., **277**, 265
Araki, H., see Kajii, H., **277**, 277
Aukkaravittayapun, S., P.J. King, Yu.I. Latyshev and R.M. Bowley, Anomalous dependence of the dissipation upon magnetic field angle in layered high T_c superconductors, **277**, 196
Awana, V.P.S., R. Singh, D.A. Landinez Tellez, J.M. Ferreira, J. Albino Aguiar and A.V. Narlikar, Structure, superconductivity and normal state magnetism of $CaLaBaCu_{3-x}Fe_xO_7$ superconductor, $0.0 \leqslant x \leqslant 0.24$, **277**, 265

Babić, D., J. Ivkov and B. Leontić, Two-dimensional decoherence effects in superconducting sheets of single crystal $Bi_2Sr_2CaCu_2O_{8+x}$, **277**, 203
Beduz, C., see Yi, Z., **277**, 233
Benazeth, S., see Menushenkov, A.P., **277**, 257
Bhasale, R., see Horvat, J., **277**, 183
Bowley, R.M., see Aukkaravittayapun, S., **277**, 196
Budai, J.D., see Guo, L.P., **277**, 13

Chechersky, V., M. Gal, Z. Homonnay, Gy. Vanko, E. Kuzmann, S. Tyagi, R.L. Greene, A. Vertes and A. Nath, Lattice dynamics of $Y_{0.9}Pr_{0.1}Ba_2Cu_3O_{7-\delta}$, **277**, 36
Chen, J.M., R.S. Liu, C. Martin, F. Letouze and B. Raveau, Hole states in oxycarbonate high-T_c superconductor $(Tl_{0.8}Cr_{0.2})Sr_4Cu_2(CO_3)O_7$ probed by soft X-ray absorption spectroscopy, **277**, 145
Chen, Q., M. Fang, Z. Jiao, Q. Zhang, H. Wen and Z. Zhao, Influence of nanometer-sized MgO particles on flux pinning in $YBa_2Cu_3O_{7-\delta}$, **277**, 113
Chen, Y., see Yuan, S.L., **277**, 271
Cherpak, N.T., see Velichko, A.V., **277**, 101
Chmaissem, O., see Wagner, J.L., **277**, 170
Christen, D.K., see Guo, L.P., **277**, 13
Chu, W.K., see Wu, J.Z., **277**, 219
Chukanova, I.N., see Velichko, A.V., **277**, 101
Cochrane, J.W., P.A. Miles, G.J. Russell, G. Foran and D.J. Cookson, Electron microprobe analysis and synchrotron diffraction study of crystalline $(Nd_{0.5}Y_{0.5})Ba_2Cu_3O_{7-\delta}$, **277**, 213
Cookson, D.J., see Cochrane, J.W., **277**, 213
Cui, X.T., see Wu, J.Z., **277**, 219

Dabrowski, B., K. Rogacki, J.W. Koenitzer, K.R. Poeppelmeier and J.D. Jorgensen, Optimized synthesis and properties of chemically stabilized $CuSr_2YCu_2O_7$, **277**, 24
Das, B.K., see Padam, G.K., **277**, 43
Dou, S.X., see Horvat, J., **277**, 183

Ekbote, S.N., see Padam, G.K., **277**, 43

Fang, M., see Chen, Q., **277**, 113
Ferreira, J.M., see Awana, V.P.S., **277**, 265
Foran, G., see Cochrane, J.W., **277**, 213
Fuwa, Y. and K. Ogawa, Enhancement of T_{irr} and $\Delta M(H)$ in $Bi_2Sr_2CaCu_2O_x$ in the presence of Ni particles, **277**, 54

Gal, M., see Chechersky, V., **277**, 36
Gapud, A., see Wu, J.Z., **277**, 219
Gogia, B., see Padam, G.K., **277**, 43
Gong, C.-D., see Li, J.-X., **277**, 133
Goupil, Ch., see Warmont, F., **277**, 61
Greene, R.L., see Chechersky, V., **277**, 36
Guo, L.P., Z.F. Ren, J.Y. Lao, J.H. Wang, D.K. Christen, C.E. Klabunde and J.D. Budai, Epitaxial superconducting thin films $Tl_{0.78}Bi_{0.22}Sr_{1.6}Ba_{0.4}Ca_2Cu_3O_{9-\delta}$ on (001) YSZ synthesized by laser ablation and post-annealing in pure argon, **277**, 13
Guo, Y.C., see Horvat, J., **277**, 183

Han, Z., see Lahtinen, M., **277**, 238
Hanamachi, T., see Sakai, T., **277**, 189
Harań, G., J. Taylor and A.D.S. Nagi, The phase transition phenomena in anisotropic superconductors: effect of the orthorhombic crystal field and the potential impurity scattering, **277**, 70
Hardy, V., see Warmont, F., **277**, 61
Hervieu, M., see Knížek, K., **277**, 119
Hinks, D.G., see Wagner, J.L., **277**, 170
Hirano, T., see Matsushita, T., **277**, 285
Homonnay, Z., see Chechersky, V., **277**, 36
Horvat, J., Y.C. Guo, R. Bhasale, W.G. Wang, H.K. Liu and S.X. Dou, Non-exponential decrease of critical current with field in Bi-2223/Ag superconducting tapes at elevated fields, **277**, 183
Huang, Z., see Yuan, S.L., **277**, 271
Hunter, B.A., see Wagner, J.L., **277**, 170

Ichinose, A. and A. Shirabe, Film growth and roughness of YBCO thin films shown by X-ray reflection and RHEED, **277**, 243
Ignatov, A.Yu., see Menushenkov, A.P., **277**, 257
Ivkov, J., see Babić, D., **277**, 203
Izhyk, E.V., see Velichko, A.V., **277**, 101

Jensen, W.R., see Wagner, J.L., **277**, 170
Jiao, Z., see Chen, Q., **277**, 113
Jonsson, A. and P. Minnhagen, Complex impedance of a two-dimensional Josephson junction array, **277**, 161
Jorgensen, J.D., see Dabrowski, B., **277**, 24
Jorgensen, J.D., see Wagner, J.L., **277**, 170

Kajii, H., H. Araki, A.A. Zakhidov, K. Tada, K. Yakushi and K. Yoshino, Microwave heating effect on two Josephson-junction systems in granular PAT12–C_{60}–Rb composites: low-field microwave absorption study, **277**, 277
Kang, B.W., see Wu, J.Z., **277**, 219
Kang, W.N., see Wu, J.Z., **277**, 219
King, P.J., see Aukkaravittayapun, S., **277**, 196
Kirichenko, A.Ya., see Velichko, A.V., **277**, 101
Kiuchi, M., see Matsushita, T., **277**, 285
Klabunde, C.E., see Guo, L.P., **277**, 13
Klementev, K.V., see Menushenkov, A.P., **277**, 257
Knížek, K., S. Malo, C. Michel, M. Hervieu, A. Maignan and B. Raveau, The 1201 superconductors $Hg_{1-y}(VO_4)_y(Ba, Sr)_2$-$CuO_{4-2y+\delta}$: evidence for VO_4 tetrahedra, **277**, 119
Ko, D. and H. Oesterreicher, Observation of a new cell volume expanded superconducting state in $YBa_2(CuNi)_3O_y$ near $y = 6.5$, **277**, 95
Koenitzer, J.W., see Dabrowski, B., **277**, 24
Kopelevich, Y., V.V. Makarov and S. Moehlecke, Disorder induced asymmetric magnetization in $Bi_2Sr_2Ca_2Cu_3O_{10}$, **277**, 225
Koshizuka, N., see Matsushita, T., **277**, 285
Kuwasawa, Y., see Matsuo, Y., **277**, 138
Kuzmann, E., see Chechersky, V., **277**, 36

Lahtinen, M., J. Paasi, Z. Han and J. Sarkaniemi, Microstructure of the ceramic in superconducting Bi-2223 composite tapes after bending strain cycles, **277**, 238
Landinez Tellez, D.A., see Awana, V.P.S., **277**, 265
Lao, J.Y., see Guo, L.P., **277**, 13
Latyshev, Yu.I., see Aukkaravittayapun, S., **277**, 196
Lee, J.U. and J.E. Nordman, Effects of damping on the dynamics of Josephson vortex in $Bi_2Sr_2CaCu_2O_x$, **277**, 7
Leontić, B., see Babić, D., **277**, 203
Letouze, F., see Chen, J.M., **277**, 145
Leventouri, T., A new method for measuring the degree of preferred orientation in bulk textured $YBa_2Cu_3O_x$, **277**, 82
Li, J.-X. and C.-D. Gong, Spin gap and nuclear magnetic relaxations in the cuprate superconductors, **277**, 133
Li, R., Synthesis and structure of layered cuprates containing Pb_2Cl as separating layer, $Pb_2Ba_2Cu_2MO_8Cl$ (M = Ta, Nb), **277**, 252
Liu, H.K., see Horvat, J., **277**, 183
Liu, R.S., see Chen, J.M., **277**, 145
Luby, S., see Matsuo, Y., **277**, 138

Maignan, A., see Knížek, K., **277**, 119
Majková, E., see Matsuo, Y., **277**, 138
Makarov, V.V., see Kopelevich, Y., **277**, 225
Malo, S., see Knížek, K., **277**, 119
Martin, C., see Chen, J.M., **277**, 145
Matsuo, Y., T. Nojima, Y. Kuwasawa, E. Majková and S. Luby, Current–voltage characteristics and layer coupling in amorphous W/Si multilayers, **277**, 138
Matsushita, T., M. Kiuchi, H. Yamato, T. Hirano and N. Koshizuka, Longitudinal elastic correlation length of flux lines along the *c*-axis in superconducting Bi-2212 single crystal in the field range near the peak effect, **277**, 285
Menushenkov, A.P., S. Benazeth, J. Purans, A.Yu. Ignatov and K.V. Klementev, Local structure anomalies of the $BaBi(Pb)O_3$ system at low temperatures: an X-ray absorption study, **277**, 257
Michel, C., see Knížek, K., **277**, 119
Miles, P.A., see Cochrane, J.W., **277**, 213
Minnhagen, P., see Jonsson, A., **277**, 161
Moehlecke, S., see Kopelevich, Y., **277**, 225
Monahan, T.P., see Wu, J.Z., **277**, 219

Nagi, A.D.S., see Harań, G., **277**, 70
Narlikar, A.V., see Awana, V.P.S., **277**, 265
Narlikar, A.V., see Okram, G.S., **277**, 19
Nath, A., see Chechersky, V., **277**, 36
Nojima, T., see Matsuo, Y., **277**, 138
Nordman, J.E., see Lee, J.U., **277**, 7

Oesterreicher, H., see Ko, D., **277**, 95
Ogawa, K., see Fuwa, Y., **277**, 54
Okram, G.S., B.D. Padalia, O. Prakash, S.K. Agarwal and A.V. Narlikar, Possible competitive electron- and hole-like conduction in the revived $Nd_{1.82}Ce_{0.18}CuO_y$ superconductors, **277**, 19

Paasi, J., see Lahtinen, M., **277**, 238
Padalia, B.D., see Okram, G.S., **277**, 19
Padam, G.K., S.N. Ekbote, D.K. Suri, B. Gogia, K.B. Ravat and B.K. Das, A comparative study of rapid and slow furnace cooling effects on the superconducting properties of Pb-free and Pb-doped Bi-2212 HTSC, **277**, 43
Poeppelmeier, K.R., see Dabrowski, B., **277**, 24
Prakash, O., see Okram, G.S., **277**, 19
Provost, J., see Warmont, F., **277**, 61
Purans, J., see Menushenkov, A.P., **277**, 257

Radaelli, P.G., see Wagner, J.L., **277**, 170
Ravat, K.B., see Padam, G.K., **277**, 43
Raveau, B., see Chen, J.M., **277**, 145
Raveau, B., see Knížek, K., **277**, 119
Ren, Z.F., see Guo, L.P., **277**, 13
Riddle, R., see Yi, Z., **277**, 233
Rogacki, K., see Dabrowski, B., **277**, 24

Russell, G.J., see Cochrane, J.W., **277**, 213
Ruyter, A., see Warmont, F., **277**, 61

Saito, Y., see Sakai, T., **277**, 189
Sakai, T., H. Utsunomiya, Y. Saito, T. Hanamachi and M. Shinkawa, Effect of intermediate rolling condition on the critical current density of silver-sheathed Bi(2223) superconducting tapes, **277**, 189
Sarkaniemi, J., see Lahtinen, M., **277**, 238
Shinkawa, M., see Sakai, T., **277**, 189
Shirabe, A., see Ichinose, A., **277**, 243
Simon, Ch., see Warmont, F., **277**, 61
Singh, R., see Awana, V.P.S., **277**, 265
Song, M.Y., Superconducting characteristics of oxides produced from melt spun Y(Yb)-Ba-Cu/Ag precursor alloy ribbons, **277**, 87
Sun, X., see Yuan, S.L., **277**, 271
Suri, D.K., see Padam, G.K., **277**, 43

Tada, K., see Kajii, H., **277**, 277
Tamura, T., S. Adachi, X.-J. Wu, T. Tatsuki and K. Tanabe, Pb-1223 cuprate superconductor with T_c above 120 K synthesized under high pressure, **277**, 1
Tanabe, K., see Tamura, T., **277**, 1
Tatsuki, T., see Tamura, T., **277**, 1
Taylor, J., see Harań, G., **277**, 70
Tidrow, S.C., see Wu, J.Z., **277**, 219
Tsai, M.-H., see Wu, C.-J., **277**, 292
Tyagi, S., see Chechersky, V., **277**, 36

Utsunomiya, H., see Sakai, T., **277**, 189

Vanko, Gy., see Chechersky, V., **277**, 36
Velichko, A.V., N.T. Cherpak, E.V. Izhyk, A.Ya. Kirichenko and I.N. Chukanova, High-frequency response to millimeter wave irradiation of YBaCuO thin film and ceramic, **277**, 101
Vertes, A., see Chechersky, V., **277**, 36

Wagner, J.L., O. Chmaissem, J.D. Jorgensen, D.G. Hinks, P.G. Radaelli, B.A. Hunter and W.R. Jensen, Multiple defects in overdoped $Tl_2Ba_2CuO_{6+\delta}$: effects on structure and superconductivity, **277**, 170
Wang, J.H., see Guo, L.P., **277**, 13
Wang, W.G., see Horvat, J., **277**, 183
Warmont, F., V. Hardy, Ch. Goupil, Ch. Simon, J. Provost and A. Ruyter, Angle-resolved transport measurements in a Bi-2212 crystal with inclined columnar defects: study of the directional effects, **277**, 61
Wen, H., see Chen, Q., **277**, 113
Wu, C.-J., M.-H. Tsai and H.D. Yang, The effect of coherence factor on slow wave propagation in superconducting planar transmission lines, **277**, 292
Wu, J.Z., S.H. Yun, A. Gapud, B.W. Kang, W.N. Kang, S.C. Tidrow, T.P. Monahan, X.T. Cui and W.K. Chu, Epitaxial growth of $HgBa_2CaCu_2O_{6+\delta}$ thin films on $SrTiO_3$ substrates, **277**, 219
Wu, X.-J., see Tamura, T., **277**, 1

Yakushi, K., see Kajii, H., **277**, 277
Yamato, H., see Matsushita, T., **277**, 285
Yang, H.D., see Wu, C.-J., **277**, 292
Yao, N.F., see Yuan, S.L., **277**, 271
Yi, Z., C. Beduz, M. Al-Mosawi and R. Riddle, Transverse distribution of the transport current density in (Bi, Pb)2223 tapes, **277**, 233
Yoshino, K., see Kajii, H., **277**, 277
Yuan, S.L., J. Zhou, X. Sun, Y. Chen, Z. Huang and N.F. Yao, Scaling approach to the in-plane resistivity of single crystalline $La_{1.85}Sr_{0.15}CuO_4$ as a function of temperature, magnetic field and its orientation, **277**, 271
Yun, S.H., see Wu, J.Z., **277**, 219

Zakhidov, A.A., see Kajii, H., **277**, 277
Zhang, Q., see Chen, Q., **277**, 113
Zhao, Z., see Chen, Q., **277**, 113
Zhou, J., see Yuan, S.L., **277**, 271

ELSEVIER

Physica C 277 (1997) 305–306

PHYSICA C

Analytic Subject Index to Volume 277

Ac-susceptibility
–of $(Tl_{0.8}Cr_{0.2})Sr_4Cu_2(CO_3)O_7$ 145
–of Bi-2212 43
–of $CaLaBaCu_{3-x}Fe_xO_7$ 265
–of $Tl_2Ba_2CuO_{6+\delta}$ 170

Bending strain 238

Coherence effect 292
Conducting polymer 277
Critical current density distribution
–in (Bi,Pb)2223 tapes 233
Critical current density 87
–of Bi(2223) superconducting tapes 189
–of Bi-2212 single crystal 285
–of Bi-2223/Ag superconducting tapes 183
–of $HgBa_2CaCu_2O_{6+\delta}$ thin films 219
–of $Tl_{0.78}Bi_{0.22}Sr_{1.6}Ba_{0.4}Ca_2Cu_3O_{9-\delta}$ thin films 13
–of $Yba_2Cu_3O_{7-\delta}$ + xMgO 113

DC susceptibility
–of Pb-1223 1
Dynamical response 161

EXAFS
–of $BaPb_{1-x}Bi_xO_3$ 257
Elastic properties
–of Bi-2223 composite tapes 238
Electrical dissipation
–in (BSCCO) whiskers 196
Electrical resistivity
–of Bi-2212 crystal 61
–of $HgBa_2CaCu_2O_{6+\delta}$ thin films 219
–of $La_{1.85}Sr_{0.15}SrCuO_4$ 271
–of $Tl_{0.78}Bi_{0.22}Sr_{1.6}Ba_{0.4}Ca_2Cu_3O_{9-\delta}$ thin films 13
Electron-doped superconductor 19
Electronic structure
–of $Nd_{1.82-z}Sr_zCe_{0.18}CuO_y$ 19
Electronic transport
–in $Nd_{1.82-z}Sr_zCe_{0.18}CuO_y$ 19

Fermi surface 70
Ferromagnetic particle 54
Field angle dependence 196
Fluctuation effects
–in $Bi_2Sr_2CaCu_2O_{8+x}$ single crystal 203
Flux creep theory 285
Flux creep
–in $Bi_2Sr_2Ca_2Cu_3O_{10}$ 225
Flux flow
–in (BSCCO) whiskers 196
–in $Bi_2Sr_2CaCu_2O_x$ 7
Flux pinning
–in Bi-2212 crystal 61
–in Bi-2223/Ag superconducting tapes 183
–in $Bi_2Sr_2Ca_2Cu_3O_{10}$ 225
–in $Bi_2Sr_2CaCu_2O_x$ 54
–in $CuSr_2YCu_2O_7$ 24
–in $Yba_2Cu_3O_{7-\delta}$ + xMgO 113
Fullerene 277

Gas and solid phases 196
Grain alignment (texturing) 82
–in Bi(2223) superconducting tapes 189
–in Bi-2223/Ag superconducting tapes 183

Heating effect 277
Hole concentration
–in $(Tl_{0.8}Cr_{0.2})Sr_4Cu_2(CO_3)O_7$ 145

I–V characteristics
–of W/Si multilayers 138
I-V characteristics
–of $Bi_2Sr_2CaCu_2O_x$ 7
Intermediate rolling 189
Irradiation effect
–on Bi-2212 crystal 61
Irreversibility line
–of Bi-2212 crystal 61
–of $Bi_2Sr_2CaCu_2O_x$ 54
–of $CuSr_2YCu_2O_7$ 24

Josephson junction array 161
Josephson vortex
–in $Bi_2Sr_2CaCu_2O_x$ 7

Kosterlitz–Thouless transition
–in W/Si multilayers 138

Lattice dynamics
–of $Y_{0.9}Pr_{0.1}Ba_2Cu_3O_{7-\delta}$ 36
Layer coupling
–in W/Si multilayers 138
London penetration depth 292
Longitudinal elastic correlation length
–in Bi-2212 single crystal 285
Low-field microwave absorption 277

Magnetic properties
–of $Hg_{1-y}V_yBa_{2-x}Sr_xCuO_{4+2y+\delta}$ 119
Magnetic relaxation
–of $Yba_2Cu_3O_{7-\delta}$ + xMgO 113
Magnetic susceptibility 133
–of $YBa_2(Cu_{1-x}Ni_x)_3O_y$ 95
Magnetization
–of $Bi_2Sr_2Ca_2Cu_3O_{10}$ 225
–of $Bi_2Sr_2CaCu_2O_x$ 54
–of $CaLaBaCu_{3-x}Fe_xO_7$ 265
–of $Yba_2Cu_3O_{7-\delta}$ + xMgO 113
Magnetoresistance
–of $Bi_2Sr_2CaCu_2O_{8+x}$ single crystal 203
Melt spun Y(Yb)–Ba–Cu/Ag ribbons 87
Microstructure
–of Bi-2223 composite tapes 238
Microwave surface resistance
–of YBaCuO ceramic 101
–of YBaCuO thin film 101
Mixed state 54
Mössbauer spectroscopy
–on $Y_{0.9}Pr_{0.1}Ba_2Cu_3O_{7-\delta}$ 36

Nonlinear behavior 101
Nuclear magnetic relaxation 133

Oxidation 87
Oxygen stoichiometry
–in $Y_{0.9}Pr_{0.1}Ba_2Cu_3O_{7-\delta}$ 36
–in $YBa_2(Cu_{1-x}Ni_x)_3O_y$ 95
–of $(Tl_{0.8}Cr_{0.2})Sr_4Cu_2(CO_3)O_7$ 145
–of $CuSr_2YCu_2O_7$ 24
–of Pb-1223 1
–of $Tl_2Ba_2CuO_{6+\delta}$ 170

Pair breaking 70
–in $Bi_2Sr_2CaCu_2O_{8+x}$ single crystal 203

Pb doping
–of Bi-2212 43
Pinning correlation lengths
–in Bi-2212 single crystal 285
Preferred orientation
–in textured $YBa_2Cu_3O_x$ 82
Press deformation 87

RHEED
–of YBCO thin films 243
Radiowave response 101
Roll gap geometry 189
Roughness
–of YBCO thin films 243

Scaling approach 271
Simulations 161
Sintering
–of Bi-2212 43
Solid solution 119
Specific heat at T_c 70
Spin gap 133
Spin-lattice relaxation time T_1 133
Structure
–of $(Nd_{0.5}Y_{0.5})Ba_2Cu_3O_{7-\delta}$ 213
–of $BaPb_{1-x}Bi_xO_3$ 257
–of Bi-2212 43
–of $CaLaBaCu_{3-x}Fe_xO_7$ 265
–of $Hg_{1-y}V_yBa_{2-x}Sr_xCuO_{4+2y+\delta}$ 119
–of Pb-1223 1
–of $Pb_2Ba_2Cu_2NbO_8Cl$ 252
–of $Pb_2Ba_2Cu_2TaO_8Cl$ 252
–of $Tl_{0.78}Bi_{0.22}Sr_{1.6}Ba_{0.4}Ca_2Cu_3O_{9-\delta}$ thin films 13
–of $Tl_2Ba_2CuO_{6+\delta}$ 170
–of $YBa_2(Cu_{1-x}Ni_x)_3O_y$ 95
Substitution effect
–of $(Nd_{0.5}Y_{0.5})Ba_2Cu_3O_{7-\delta}$ 213
Synthesis
–of $(Nd_{0.5}Y_{0.5})Ba_2Cu_3O_{7-\delta}$ 213
–of $CuSr_2YCu_2O_7$ 24
–of $Hg_{1-y}V_yBa_{2-x}Sr_xCuO_{4+2y+\delta}$ 119
–of $HgBa_2CaCu_2O_{6+\delta}$ thin films 219
–of Pb-1223 1
–of $Pb_2Ba_2Cu_2NbO_8Cl$ 252
–of $Pb_2Ba_2Cu_2TaO_8Cl$ 252
–of $Tl_{0.78}Bi_{0.22}Sr_{1.6}Ba_{0.4}Ca_2Cu_3O_{9-\delta}$ thin films 13
–of $Tl_2Ba_2CuO_{6+\delta}$ 170
–of YBCO thin films 243

Thermal fluctuations
–in $BaPb_{1-x}Bi_xO_3$ 257
Thermoelectric power
–in $Nd_{1.82-z}Sr_zCe_{0.18}CuO_y$ 19
Thin films 292

V–I characteristics
–of (Bi,Pb)2223 tapes 233
Vortex correlations 161

Weak coupling 70

d-wave superconductor 70

X-ray diffraction
–on $HgBa_2CaCu_2O_{6+\delta}$ thin films 219
X-ray reflectivity
–of YBCO thin films 243
XANES
–of $(Tl_{0.8}Cr_{0.2})Sr_4Cu_2(CO_3)O_7$ 145
XY model 161

ELSEVIER

Physica C 277 (1997) 307–308

PHYSICA C

Materials Index to Volume 277

$BaPb_{1-x}Bi_xO_3$
–eXAFS 257
–structure 257
–thermal fluctuations 257
Bi(2223) superconducting tapes
–critical current density 189
–grain alignment (texturing) 189
Bi-2212 crystal
–electrical resistivity 61
–flux pinning 61
–irradiation effect 61
–irreversibility line 61
(Bi,Pb)2223 tapes
–critical current density distribution 233
–V–I characteristics 233
Bi-2212 single crystal
–critical current density 285
–longitudinal elastic correlation length 285
–pinning correlation lengths 285
Bi-2212
–Ac-susceptibility 43
–pb doping 43
–sintering 43
–structure 43
Bi-2223 composite tapes
–elastic properties 238
–microstructure 238
Bi-2223/Ag superconducting tapes
–critical current density 183
–flux pinning 183
–grain alignment (texturing) 183
$Bi_2Sr_2Ca_2Cu_3O_{10}$
–flux creep 225
–flux pinning 225
–magnetization 225
$Bi_2Sr_2CaCu_2O_x$
–flux flow 7
–flux pinning 54
–I-V characteristics 7
–irreversibility line 54
–Josephson vortex 7
–magnetization 54

$Bi_2Sr_2CaCu_2O_{8+x}$ single crystal
–fluctuation effects 203
–magnetoresistance 203
–pair breaking 203
(BSCCO) whiskers
–electrical dissipation 196
–flux flow 196

$CaLaBaCu_{3-x}Fe_xO_7$
–Ac-susceptibility 265
–magnetization 265
–structure 265
$CuSr_2YCu_2O_7$
–flux pinning 24
–irreversibility line 24
–oxygen stoichiometry 24
–synthesis 24

$Hg_{1-y}V_yBa_{2-x}Sr_xCuO_{4+2y+\delta}$
–magnetic properties 119
–structure 119
–synthesis 119
$HgBa_2CaCu_2O_{6+\delta}$ thin films
–critical current density 219
–electrical resistivity 219
–synthesis 219
–x-ray diffraction 219

$La_{1.85}Sr_{0.15}SrCuO_4$
–electrical resistivity 271

$Nd_{1.82-z}Sr_zCe_{0.18}CuO_y$
–electronic structure 19
–electronic transport 19
–thermoelectric power 19
$(Nd_{0.5}Y_{0.5})Ba_2Cu_3O_{7-\delta}$
–structure 213
–substitution effect 213
–synthesis 213

Pb-1223
–DC susceptibility 1
–oxygen stoichiometry 1
–structure 1
–synthesis 1
$Pb_2Ba_2Cu_2NbO_8Cl$
–structure 252
–synthesis 252
$Pb_2Ba_2Cu_2TaO_8Cl$
–structure 252
–synthesis 252

$Tl_{0.78}Bi_{0.22}Sr_{1.6}Ba_{0.4}Ca_2Cu_3O_{9-\delta}$ thin films
–critical current density 13
–electrical resistivity 13
–structure 13
–synthesis 13
$Tl_2Ba_2CuO_{6+\delta}$
–Ac-susceptibility 170
–oxygen stoichiometry 170
–structure 170
–synthesis 170
$(Tl_{0.8}Cr_{0.2})Sr_4Cu_2(CO_3)O_7$
–Ac-susceptibility 145
–hole concentration 145
–oxygen stoichiometry 145
–XANES 145

W/Si multilayers
–I–V characteristics 138
–Kosterlitz–Thouless transition 138
–layer coupling 138

$Y_{0.9}Pr_{0.1}Ba_2Cu_3O_{7-\delta}$
–lattice dynamics 36
–Mössbauer spectroscopy 36
–oxygen stoichiometry 36
YBCO thin films
–rHEED 243
–roughness 243

–synthesis 243
–x-ray reflectivity 243
$YBa_2(Cu_{1-x}Ni_x)_3O_y$
–magnetic susceptibility 95
–oxygen stoichiometry 95
–structure 95

YBaCuO ceramic
–microwave surface resistance 101
YBaCuO thin film
–microwave surface resistance 101
$Yba_2Cu_3O_{7-\delta}$ + xMgO
–critical current density 113
–flux pinning 113
–magnetic relaxation 113
–magnetization 113

textured $YBa_2Cu_3O_x$
–preferred orientation 82